

WRC Akron

1485 Exeter Dr., Akron, Ohio 44306

Phone: 330-733-6662 ~ Fax: 330-733-6663

sales@wrcakron.com

## WRC4-SWOF5S



Product Categories: [Discrete I/O Modules](#), [WRC4 Modules](#)

Product Page: <https://www.wrcakron.com/product/wrc4-swof5s/>

## Product Attributes

- Drop out Current (mA): -
- Allowable Off-State Current (mA): -
- Logic Voltage Range: 2.5-7.5 V
- Max Input Current (mA): -
- Nominal Logic Voltage: 5V

## Product Catalog

Product data exported from -  
WRC Akron  
Export date: Tue Jul 23, 2019 05:29:54

- Nominal Field Voltage: 5
  - Industry Model: WRC Proprietary
  - Field Voltage Range: 0-50 V
  - Part Type: Output
- 

### Advantages

- Status LED is more easily visible
  - Fuse can be tested and replaced without removing the modules
  - Fuse is a popular CE-rated fuse
  - Popular Euro-style fuse has multiple sources
  - Matches the industry de facto standard footprint
  - Low height convenient for mounting
  - Compact footprint continues to save space
  - Compatible with WRC's line of SmartMux and data acquisition cards
  - UL and CE marks standard
  - 5, 15 and 24 volt logic available
  - Proven reliable circuitry
- 

### General Info


WRC4 Series Discrete I/O expands WRC's complete line of discrete I/O modules. These modules provide an indication LED and replaceable fuse. They also meet an industry de facto standard pin-out. Nine mounting boards are available with spare fuse, power-on LED and fuse test circuit.

---


### Schematics

9 05:29:54

### WRC4 input modules



### WRC4 output modules



### Ordering Info

Phone: 330-733-6662

Fax: 330-733-6663

[Click to Email](#) [Click to submit an itemized RFQ](#) If you can't find what you need or require a custom part simply call and speak to one of our knowledgeable specialists. They can walk you through the ordering process quickly and professionally.